

STATE CHILDHOOD IMMUNIZATION PROGRAM VACCINE ELIGIBILITY CHART

Vaccine	Those eligible for State-supplied Vaccine
DTaP (diphtheria/tetanus/acellular pertussis)	All children under 7 years of age regardless of insurance status.
DT (diphtheria/tetanus)	All children under 7 years of age with contraindications for pertussis.
Pediarix (diphtheria, tetanus, acellular pertussis, inactivated polio, and hepatitis B)	All children under 7 years of age regardless of insurance status. To be given for first three doses only.
Td (tetanus/diphtheria)	All children 7 years through 18 years of age, regardless of insurance status.
Tdap	All children 11 and 12 years of age. Generally to be given no sooner than 5 years after a Td.
Hib (Haemophilus Influenza B)	All children under 5 years of age regardless of insurance status.
DTaP-Hib (combination vaccine)	All children under 5 years of age for 4th DTaP only regardless of insurance status.
IPV (inactivated polio vaccine)	All those 18 years of age and younger, regardless of insurance status.
MMR (measles/mumps/rubella)	All children 12 months through 18 years of age, regardless of insurance status.
Hepatitis B	All individuals-birth through 18 years of age, regardless of insurance.
Hepatitis A	All children 12 months through 18 years of age. The two doses in the series should be administered at least 6 months apart.
PCV7 (Prevnar)	All children under 5 years of age regardless of insurance status.
Varicella (chicken pox)	All children 12 to 18 months and 4 to 6 years old regardless of insurance status. Children outside these age ranges would need to receive "privately purchased vaccine".
Meningococcal (MCV4) VFC-Underinsured need to receive their immunization at a FQHC/RHC facility. Non-VFC children will need to receive "privately purchased" vaccine.	All VFC-eligible age appropriate children: 11-12 year olds, those entering high school and not previously vaccinated, and those through 18 years of age, college bound, who plan to live in a dorm, not previously vaccinated. Also those with terminal complement deficiencies, anatomic or functional asplenia, or HIV infected.
Rotavirus VFC-Underinsured need to receive their immunization at a FQHC/RHC facility. Non-VFC children will need to receive "privately purchased" vaccine.	All VFC-eligible age appropriate children: This <u>oral</u> 3-dose series should be started at 6 – 12 weeks of age with subsequent doses given at 4 – 10 week intervals. Do not give this vaccine to an infant > 32 weeks of age.
Human Papillomavirus (HPV) VFC-Underinsured need to receive their immunization at a FQHC/RHC facility. Non-VFC children will need to receive "privately purchased" vaccine.	All VFC-eligible <u>females</u> 11 – 18 years of age.
Influenza	All children 6-23 months old. All VFC children ≥ 6 months with certain risk factors (including but not limited to: asthma, cardiac disease, sickle cell disease, HIV, diabetes, and other conditions that can compromise respiratory function.)